5

自动化系列
Automation series

其他自动化
Other automation

JAKI

佳 岛

— SINCE 1999 —

佳岛在手中，缝纫好轻松！
A stitch above the best!

国家高新技术企业
NATIONAL HIGH TECH ENTERPRISE

JAKI
佳岛
SINCE 1999

佳岛在手中，缝纫好轻松!
A stitch above the best!

JR430D-MOT 电脑自动冲孔菊花眼一体机

Computer Automatic Punching Chrysanthemum Eye Machine

- 适用领域

军品系列~迷彩服(装饰孔和透气孔)　　服装系列~各类服装(透气孔和装饰孔)

螺纹布系列~卫衣(领口穿绳孔)　　帽子系列~各类帽子(装饰孔和透气孔)

休闲系列~各类休闲裤(裤头穿绳孔)　　鞋子系列~各类休闲鞋(装饰孔和透气孔)

- Applicablefields

Military series ~Camouflage (decorative holes and air holes)

Clothing Series ~ All kinds of Clothing (air holes and decorative holes)

Thread cloth series ~ Hoodie (cord hole at neckline)

Hats series ~All kinds of hats (decorative holes and air holes)

Casual series~All kinds of casual pants (pants with rope hole)

Shoes series~All kinds of casual shoes (decorative holes and air holes)

JAKI
佳岛
SINCE 1999

佳岛在手中，缝纫好轻松!
A stitch above the best!

一个帽檐平均一分钟左右
A cap takes about a minute on average



JR370D-4/HT帽檐绗盆机
Cap quilter

- 功能特点

1、全伺服电脑控制，一人可操作两至3台机器；
2、一体电脑内置故障代码，并自带锁屏功能,操作简单，便捷售后服务；
3、采用大梭勾线，减少底线更换次数；
4、上下同步送料缝线稳定性能更高；
5、动力强劲，吃厚不费力，振动小。

- 适用于各类盆帽，渔夫帽的帽檐绗线缝纫。

It is suitable for quilting the brim of various basin caps and fisherman caps.

- Product Feature

1.fully servo computer control, one person can still operate two or three machines.
2.Computer built-in fault code, and with a lock screen function, simple operation, convenient after-sales service
3. Use big shuttle to hook the line, reducing the frequency change of bottom line
4. top and bottom feeding stability performance
5.strong power, low noise, nice stitch for extra heavy duty.

- 功能：自动剪线、自动倒回缝、电子夹线、上下停针位、定长缝、可调节LED灯、补针功能(选配外置自动抬压脚)

Function: Auto Trimmer, Auto reverse, electronic clip, Auto foot lifter, up and down needle position, fixed length stitching, Adjustable LED light, Half stitch. (Optional out foot lifter)

- 效率提高3-4倍 Efficiency increased 3-4 times

速度1800--2000转 Speed is 1800-2000	帽檐宽度140mm内 The brim width of the hat is less than 140mm
线距宽度20mm内 The two stitch space is less than 20mm	可选配自动抬压脚 Optional out foot lifter

JAKI
佳岛
SINCE 1999

尺寸可选择:

(1.6、1.9、2.1、2.4、2.6、2.8、3.0) 米

P9-1900 电脑全自动铺布机
Computer automatic machine

P9-1900 电脑全自动拉布机
Computer automatic machine

针梭两用铺布机
Knitting and woven Spreading Machine

您是否还在为以下问题而感到烦恼?
Are you still worry for the following problems?

招工难，用工贵
Labor shortages, wages rising

人工铺布，需要大量人工
效率低，铺布效果差
Spreading by manual operation, which required a lot of human labour.
Low efficiency, poor effect after spreading.

有了**佳岛P9-1900**针梭两用铺布机这些都不是问题!
With JAKI P1900-1 Woven and Kniting fabrics spreader, all these don't have any problems

- 提升 企业形象 Improve Enterprise Image
- 提高 服装品质 Improve clothing quality
- 加快 生产效率 Increase production efficiency
- 增加 企业利润 Increase profits

按照**10**米铺布距离，
一分钟单拉可拉**25**米
双拉可拉**60**米



提高铺布效率
Improve the spreading efficiency



产品优势
Product advantage

双伺服电机控制系统
Dual servo motor control system

送布更加高效、平稳、精准
More efficient, smoothly and accurately

中英文语言交换
Chinese and English language exchange

支持中英文语言环境使用，移动、便捷
Support the use of Chinese and English language environment, mobile and convenient



参数记忆功能
Parameter memory function

触摸屏数字化调节，自动记忆输入的参数，便捷精准
Touchscreen for digital adjustment, machine will automatically remember when you input parameter, which is convenient and accurate

自动磨刀装置
Automatic sharpening device

更佳解决方案(选配)
The better solution (optional)

二级拨边
Secondary margin flatting device

移折器
Front catcher(movable catcher)

自动升降装置
Automatic elevating device

固折器
End catcher(fixed catcher)

单拉压布
Face up with front catcher

载人站台
Manned platform

圆筒布装置
Tubular device

防撞装置
Safety sensor device

除静电装置
Anti-static electricity device

防卷入装置
Prevent draw into device

设备参数：

1.铺布宽度：1900mm
2.最大布卷直径：500mm
3.最大布卷重量：80kg
4.最大铺布高度：单拉230mm/双拉 160mm
5.电源功率：1P 220V/50Hz 1Kw
6.裁台宽度：2130mm
7.需标配拨边装置和多段式展布滚轮，保证铺出面料的平整度。
8.可自由存储99种面料参数，不用每次更换面料重新调整设备参数。
9.可以铺阶梯式面料。
10.是否可以铺匹布：可以
11.铺布方式：单拉/双拉
12.彩色工业触摸屏，中英文界面切换。
13.布架无布时能自动完成原点归位，复位。
14.故障环阻抗ZP≦220/Ia（0.037Ω）

P9-1900

自动铺布机
针梭两用专用高精度无张力铺布

Automatic spreader, Woven and Kniting fabrics spreading with high precision and free tension

不怕用工多，人工成本高
No need worry for high labour cost

不怕人工效率低，完不成单
No need worry for low efficiency, cannot catch the delivery

不怕铺布效果差，浪费面料
No need worry for poor quality, waste fabric

JAKI
佳岛
SINCE 1999

佳岛在手中，缝纫好轻松!
A stitch above the best!

JR 8866 全自动窗帘冲孔打扣机(2000#-4000#)

Automatic Rivet (Punching)Machine for Curtains(2000#-4000#)

● 功能特点

1、本机采用显示屏触摸电控系统调整参数，操作简单方便。·2、本机升级采用伺服电机控制整机运行正反转无需手动转动机器，速度快慢可随时调整触摸即可，每分钟钉扣60粒不等。

3、本机主要结构采用原地冲孔、上扣和下扣打扣一次性完成，普通员工均可轻易上手，省时省力，提高产量。

4、该机采用双振动盘分体式送扣装置，调整简单方便，送扣更加稳定。

5、本机具有送扣感应装置，无底扣状态不会空打，减少不必要的材料损耗，更好的提高工作效率。

6、该机配备激光定位，操作更直观准确稳定。

7、该机具有自动计数功能。

8、增加废料斗，废料可直接进入斗里，减少人工再次清扫，提高生产车间环境更加整洁、干净。

9、适用扣子规格2000#-4000#之间。

● Product Feature

1.This machine features a touchscreen display for electronic parameter adjustment, ensuring simple and convenient operation.

2.The upgraded version adopts a servo motor to control forward and reverse operation, eliminating manual rotation. Speed can be adjusted instantly via touch, with a sewing capacity of up to 60 buttons per minute.

3.The main structure integrates punching, button feeding, and sewing in one step, allowing even untrained workers to operate it effortlessly, saving time and labor while boosting productivity.

4.Equipped with a dual-vibration-plate split button-feeding device, the machine ensures stable button delivery with easy and quick adjustments.

5.It includes a button-sensing mechanism that prevents empty stitching when no button is present, minimizing material waste and enhancing work efficiency.

6.Laser positioning ensures intuitive, precise, and stable operation.

7.The machine comes with an automatic counting function.

8.An added waste bin collects scraps directly, reducing manual cleanup and maintaining a cleaner, tidier workshop environment.

9.Compatible with button sizes ranging from #2000 to #4000.

JAKI
佳岛



常规上送料磨具夹板，适合 做稍大裁片、裁片外围边线 定位，优点速度快、稳定性好。

可选配后滑压脚磨具，适合做小裁片、定位方便。

缝制效果

JR2210S自动魔术贴机（上送料）

性能及优点：适合15cm长度以下魔术贴切送（魔术贴宽度必须标准一致），送料速度快，线迹美观。实现魔术贴剪切. 送料. 缝制一次完成，操作工只需放面料轻松缝制。不同尺寸魔术贴只需更换送料压脚调节模板宽度就可以缝制。通过更换刀模可实现圆角，直角及不同形状角度的剪切缝制。特殊产品可定制磨具。本产品应用范围广调节方便，魔术贴送入卡槽不易掉出来，广泛应用于：反光衣 箱包. 地毯. 冲锋衣. 工作服. 帐篷. 拖把等工厂。

型号	JR2210S
缝纫范围	150*30mm
使用机针	DP*17
送料长度	圆刀20-150mm　直角刀15-150mm
送料宽度	10-30mm
送料行程	300mm
送料速度	1.7S/个魔术贴
标准气压	400Kpa（4kgf/CM^2）
刀模	直角 圆角 异形角（可定制）
缝速	2700rpm
电源	单相220V

JR-02 气动式活结钉标机

Pneumatic slipknot nailing machine

产品特点 /Product features

- 容易拆线，轻拉一下标牌表面的线头就能拆除商标牌；
- 钉标不伤织物，适合缝钉厚薄不同的缝料；
- 缝钉针数可以根据用户需求设定，最少设为三线；
- 机器有两种启动方式，踩下踏脚开关或者缝料触碰微动开关（选装）后自动开始工作，经过缝钉、自动剪线、自动抬压脚一个工作循环后自动停止；
- 与JR-01型的区别，是采用了更具性价比的电控系统和台板机架，为用户节约了使用成本。

- It is easy to remove the thread, and the trademark plate can be removed by gently pulling the thread on the surface of the label;
- The staple label does not damage the fabric, and is suitable for sewing materials with different thicknesses;
- The number of stitches can be set according to user needs, at least set to three threads;
- The machine has two starting methods. After stepping on the foot switch or when the sewing material touches the micro switch (optional), it will automatically start to work, and will stop automatically after a cycle of stitching, automatic thread trimming, and automatic presser foot lifting;
- The difference from the JR-01 type is that it adopts a more cost-effective electronic control system and platen rack, which saves the cost of use for users.

用途: 专供袜子、手套、内衣等工厂缝钉标牌用。

Purpose: It is specially used for sewing signs in factories such as socks, gloves and underwear.

正面 Front

反面 Reverse

正面 Front

反面 Reverse

产品参数 /Product parameter

			采用缝线 Thread	缝钉速度 speed needle	缝钉宽度 Sewing width	最大压脚升距 Max presser foot lift distance	气源 Gas source	
JR-02	TVX5	单线、活结	棉线40–60#	≈1.2秒/次	10mm	30mm	0.4-0.7mpa	220V/50HZ

JAKI
佳 岛

佳岛高速点胶机

型号：JR887-1295LM



应用范围
Scope of application

无痕内衣裤 Seamless underwear	点胶 Glue dispensing
运动服饰 Sportswear	点胶 Glue dispensing
其他无痕贴合 Other seamless clothing	点胶 Glue dispensing



设备特点
Equipment characteristics

- i9-3专业版控制系统，采用导图功能，免编程操作，定位更精准；
- 胶量大小、粗细、速度、点状、线状等可根据参数设定，完全满足不同的出胶量需求；
- 具有点、线、面、弧形、圆形及不规则曲线连续补偿功能，可满足更复杂的点胶要求：
- 操作界面直观简洁，操作简单，易上手，自动循环工作，速度快，效率高。

- i9-3 professional version of dispensing control system which adopts import graphics guiding function and programming-free operation, with more accurate positioning;
- The size of glue amount, thickness, speed, dot shape and linear shape can be set according to the parameters, which can fully meet the needs of different glue output;
- It has the continuous compensation function of point, line, surface, arc, circle and irregular curve, which can meet the requirements of more complex dispening process,enhance the dispensing product grade;
- Intuitionistic and concise operation interface, easy to learn and understand, automatic cycle work make more high efficiency.

技术参数
Technical Parameter

设备名称 Equipment name	佳岛高速点胶机 JAKI HIGH SPEED DISPENSING MACHINE			设备型号 Model	JR887-1295LM
规格尺寸 External dimension	1670mm*1300mm*1200mm	整备重量 Weight	400KG	重复精度 Repeatability accuracy	±0.015mm
设备系统 System	i9-3 专业版控制系统	额定电压 Power supply	220V/50Hz	额定功率 Rated power	1800W
工作台范围 Processing Area	1200mm*950mm	工作气压 Air Supply	0.45~0.8Mpa	点胶阀 Dispensing valve	PUR高精密喷射阀 PUR precision injection valve
伺服电机 Servo motor	400W/750W伺服电机	伺服驱动 Servo drive	400W/750W伺服驱动器	离地高度 Height above ground	120mm±15mm
运动导轨 Motion guide	皮带模组 Belt Module	最大行进速度 Max travel speed	1000mm/s	使用环境 Usage environment	10°C~45°C
底座平台 Base platform	定制加厚玻璃 Custom thickened glass	支持文件格式 Support file formats	DXF、SEW	适用胶水 Applicable glue	310ml罐装PUR胶 310ml canned PUR

JAKI
佳岛

佳岛双头点胶超长机型

型号：JR887-1998L



应用范围
Scope of application

- **无痕内衣裤** Seamless underwear — **点胶** Glue dispensing
- **运动服饰** Sportswear — **点胶** Glue dispensing
- **其他无痕贴合** Other seamless clothing — **点胶** Glue dispensing



设备特点
Equipment characteristics

- i9-3专业版控制系统，采用导图功能，免编程操作，定位更精准；
- 超大工作台区域，可支持欧美款超大号产品的生产，双头双工位设计，生产效率翻倍，批量生产必备神器；
- 胶量大小、粗细、速度、点状、线状等可根据参数设定，完全满足不同的出胶量需求；
- 具有点、线、面、弧形、圆形及不规则曲线连续补偿功能，可满足更复杂的点胶要求,增强点胶产品档次；
- 操作界面直观简洁，操作简单，易上手，自动循环工作，速度快，效率高。

- i9-3 professional version of dispensing control system which adopts import graphics guiding function and programming-free operation, with more accurate positioning.
- Super-large processing area, can produce larger size products; double-head and four-station design, double production efficiency, essential artifacts for mass production.
- The size of glue amount, thickness, speed, dot shape and linear shape can be set according to the parameters, which can fully meet the needs of different glue output.
- It has the continuous compensation function of point, line, surface, arc, circle and irregular curve, which can meet the requirements of more complex dispening process, enhance the dispensing product grade.
- Intuitionistic and concise operation interface, easy to learn and understand, automatic cycle work make more high efficiency.

技术参数
Technical Parameter

设备名称 Equipment name	佳岛双头点胶超长机型 JAKI DOUBLE-HEAD DISPENSING MACHINE EXTRA LARGE MODEL			设备型号 Model	JR887-1998L
规格尺寸 External dimension	2250mm*1300mm*1220mm	整备重量 Weight	520KG	重复精度 Repeatability accuracy	±0.015mm
设备系统 System	i9-3 专业版控制系统	额定电压 Power supply	220V/50Hz	额定功率 Rated power	1800W
工作台范围 Processing Area	1850mm*980mm	工作气压 Air Supply	0.45~0.8Mpa	点胶阀 Dispensing valve	PUR高精密喷射阀 PUR precision injection valve
伺服电机 Servo motor	400W/750W伺服电机	伺服驱动 Servo drive	400W/750W伺服驱动器	离地高度 Height above ground	120mm±15mm
运动导轨 Motion guide	皮带模组 Belt Module	最大行进速度 Max travel speed	1000mm/s	使用环境 Usage environment	10°C~45°C
底座平台 Base platform	定制加厚玻璃 Custom thickened glass	支持文件格式 Support file formats	DXF、SEW	适用胶水 Applicable glue	310ml罐装PUR胶 310ml canned PUR

JAKI
佳岛
SINCE 1999

佳岛在手中，缝纫好轻松!
A stitch above the best!

JR-1000FD-510HP 全自动服装折叠包装机

Fully automatic garment folding machine joint with packing machine

功能特点

1.自动折叠机，快速，安静，精确地折叠现成的衣服。它需要一个操作员，在允许的范围内，可以轻松调整以折叠不同类型和尺寸的衣服。

2.每天最高可生产 5100 件衣服（在我们的地区测量），并通过 3 个基本程序实现。工人的生产率，我们在机器中选择的程序以及服装的类型，对机器的生产率起著重要的作用.

3. JR-510PH 成衣的自动包装机,它的生产率取决於 JR-1000FSP 的生产率或工人將衣服放在机器上的速度。自动包装机将从折叠机折叠的的衣服包装成聚乙烯袋 PE.OPP。

Product Feature

1. Automatic folding machine, fast, quiet and accurate folding of ready-made clothes. It requires an operator who can easily adjust to fold clothes of different types and sizes within the permitted range.

2. Up to 5100 pieces of clothes can be produced per day (measured in our region) through 3 basic procedures. The productivity of the worker, the program we choose in the machine and the type of clothing we wear, plays an important role in the productivity of the machine.

3. JR-510PH Automatic packaging machines for ready-to-wear garments, whose productivity depends on JR-1000FSP's productivity or the speed at which workers place clothes on the machine.Automatic packaging machine will fold clothes from the folding machine into polyethylene bag PE.OPP.

型号Model	JR-1000FD	功能应用Usage	服装折叠	服装最小宽度 Minimum width of cloth	400mm
服装最大宽度 Maximum width of cloth	800mm	服装最小长度 Minimum length	400mm	服装最大长度 Maximum length of cloth	1000mm
折叠最小宽度 Minimum width of folding	200m	折叠最大宽度 Maximum width of folding	320mm	折叠最小长度 Minimum length of folding	200mm
折叠最大长度 Maximum length of folding	450mm	最高转速rpm	1min=9.2pcs	最大功率Power	1200W
空气压力6Bar	Air consumption: 75nl/min	电压Voltage	220V	频率frequency	50HZ
毛重/净重Kg	900	包装尺寸Meas.cm	2700*1225*1325		

型号Model	JR-510HP		
包装形式	信封袋热熔封口 Bagging form,Hot melt sealing		
功能应用Usage	包装机	胶带宽度 width of tape	20-35mm
电压Voltage	220V	最大功率 Power	1200W
频率frequency	50HZ	空气压力6Bar	60nl/min
包装尺寸Meas.cm	2700*1225*1325		

JAKI
佳 岛

JR896N/JR895

全自动开袋机

Automatic Welting Machine

- 用于西裤、西装、休闲裤的平行袋（带袋盖）缝制。
  The machine supports the sewing of straight pockets (with flaps) on suits, jackets and pants.
- 双嵌条和单嵌条的切换可以通过操作板的按键一键完成。
  Double-/single-welt sewing can be changed over by the simple touch of a key on the operation panel.
- 扩大了缝制长度（最短18mm - 最大220mm）
  Increased adjustable range of sewing lengths (min. 18mm to max. 220mm)



提升生产效率
Increased productivity

通过搭配可达到最快3000针/分钟，大压脚移动（空送、前送）等装置，实现循环缝制时间的缩短
In addition to the high-speed machine head with a maximum speed of 3,000 sti/min, faster movement (jump and forwarding)of the clamp foot achieves a shorter machine time.

无袋盖工序	有袋盖工序
1900 ~ 2300件/8小时	1600 ~ 1900件/8小时
Welting process without flaps	Welting process with flaps
1900 ~ 2300 pcs/8hours	1600 ~ 1900 pcs/8hours

角刀可轻松调节
The corner knives are easily adjustable

角刀整体采用抽屉式，使调整工作和切刀的更换变得简单易行。由于角刀盖子的细长化，减少了面料突出现象，提高了切刀切割的精准度。
The corner knives, which can be drawn out in the entire knife unitis adopted. The knives are easily adjusted and can also be changed with ease. The slim corner knife cover helps reduce materialthrusting, thereby achieving material cutting with accuracy.



JAKI
佳岛

小型布料机械手
Newly developed stacker which is able to handle small articles

设置了夹紧式机械手，能用于口袋到布料端最短距离为250MM的面料缝制，配置了布料检测传感器。防止机器的误操作。

With the clamp bar stacker, the machine is able to handle materials with a shortest distance of 250 mm from its edge to the pocket. A stacking sensor is also provided as standard to prevent stacking errors.

吸风装置（左右分离型缝制台面用）
Suction device (for sewing tables with separated right and left parts)

配置吸风装置，通过吸住衣片提高面料平展性。

The device improves the ease of the material placement by sucking the garment body.

易读易用的大型彩色液晶操作盘
Highly-visible and easy-to-use large color LCD touch-panel

大型彩色液晶的图解显示和触屏式面板大大提高了操作的便利性。基本操作通过图示说明和象形按键执行。各种信息可通过所选定语言显示。

The graphic display and touch panel on the large color LCD help dramatically increase ease of use. Basic operations are carried out with the graphic screen and pictogram buttons. Guidance messages are given in your selected language.

通过USB对应各种储存卡：数据的读入写出，加上配置了USB接口，可以使用U盘以及USB读卡器，来使用各种储存卡（SD卡，mini SD卡等）

Now the USB-ready main body of the sewing machine uses many different kinds of media :

The memory storage capability of the main body of the sewing machine has been dramatically enhanced. Now the USB-ready main body of the sewing machine uses many different kinds of media. In addition to the Compact Flash card, the main body of the sewing machine is provided as standard with a USB connector. Now, data can be input/output to/from various kinds of media (SD (Secure Digital Card), CF (Compact Flash), SM (Smart Media) etc.) by means of a USB thumb device and a card reader.

规格参数
Specifications

型号 Model	JR895	JR896N
袋盖规格 Bag cover	平行袋盖 Parallel flap	平行、斜袋盖 Parallel and oblique flaps
缝制速度 Sewing speed	最快3,000针/分钟 (1,000～3,000针/分钟) Max. 3,000sti/min (1,000～3,000sti/min)	
开袋种类 Kind of welts	平行双嵌条Parallel double welt, 平行单嵌条Parallel single welt, （袋盖、无袋盖With/without flaps）	平行双嵌条Parallel double welt, 平行单嵌条parallel single welt, 斜双嵌条Slanted double welt, 斜单嵌条Slanted single welt, (袋盖、无袋盖With/without flaps)
针距长度 Stitch Length	标准2.5mm (2.0～3.4mm)	
缝制长度（固定缝） Stitch length (fastening stitching)	安全缝：标准1.0mm (0.5～1.5mm) Condensation stitching: Standard 1.0mm (0.5～1.5mm) 倒缝：标准2.0mm (0.5～3.0mm) Back-tack stitching: Standard 2.0mm (0.5～3.0mm) 可转换为安全缝/倒缝 Condensation / back-tack stitching	
角刀调整方式 Corner-knife cutting adjusting method	机械式调整 Mechanical adjustment	电子式调整 Electronic adjustment
使用针 Needle	ORGAN DP x 17 # 16 (#14 - #18)	
缝制花样数 Number of independent sewing patterns	99花样（使用CF卡可以达到999花样） 99 patterns (999 patterns when a CF memory card is used)	
循环花样数 Number of cycle sewing patterns	20花样 20 Patterns	
交互花样数 Number of alternate sewing patterns	20花样 20 Patterns	
使用机头 Machine head	双针平缝机 2-needle lockstitch machine	带停针功能的双针平缝机 2-needle, lockstitch machine with organized split needle bar
针幅 Needle gauge	8、10、12、14、16、18、20mm 22、24、26、28、30、32mm	8、10、12、14、16、18、20mm
操作盘支持的语言 Languages supported for operation panel	日文，英文，中文，西班牙文，意大利文，法文，德文，葡萄牙文，土耳其文， 越南文，韩文，印尼文，俄文，日本語, English, 中文简体和繁體, Español, Italiano, Français, Deutsch, Português, Türkçe, Việt nam, **한국어, Indonesia, Русский**	

全国服务热线 / 0576-88018791

Global Service Hotline / +86-576-88018796

领跑者
FORERUNNER

* 本目录所述产品，因更新和改良，对产品之外观、规格和内容进行修改，可能不经事先预告，特此声明！

We declare that the articles are subject to our renewal because the specification mentioned in this leaflet maybe update without previous notice.

JAKI
佳岛

— SINCE 1999 —

缝制机械领跑者
SEWING MACHINE FORERUNNER

ISO 9001 ISO 14001 ISO 45001

中国缝制机械协会理事单位 / 本企业已通过ISO9001管理体系认证
浙江科技型企业 台州著名商标 / ISO14001环境体系认证

浙江佳岛缝纫机有限公司
ZHEJIANG JIADAO SEWING MACHINE CO.,LTD.

地址：浙江省台州市椒江区东海大道东段993号
Add:No.993 East Donghai Road Jiaojiang Taizhou Zhejiang China
电话(Tel)：+86-576-88018796 / 88018791
传真(Fax)：+86-576-88027628 / 88018792
Http：//www.chinajaki.com
Email：jaki@china-jaki.com